

| Alert | Detailed alert | Timeframe | Reference | Document title | Developing committee | VA | Registration date | Current Stage date | Time since current stage |
|---------|-----------------------|-----------|---------------------|---|---------------------------|---------------------|-------------------|--------------------|--------------------------|
| | | | | Energy management systems -- Modular implementation of the energy management system ISO 50001 including the use of energy performance evaluation techniques | ISO/TC 301/WG 1 | - | - | 10.60 2018-09-30 | 4 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 50005 | | | | | | |
| Warning | Warning – NP decision | SDT 24 | ISO/NP 37301 | Compliance management systems -- requirements with guidance for use | ISO/TC 309 | - | - | 10.60 2018-09-20 | 14 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 37163 | Smart community infrastructures -- Guidance on smart transportation for allocation of parking lots in cities | ISO/TC 268/SC 1/WG 3 | - | - | 10.60 2018-09-16 | 18 days |
| Warning | Warning – NP decision | SDT 24 | ISO 37106:2018/NP A | Sustainable cities and communities -- Guidance on establishing smart city operating models for sustainable communities -- Amendment 1 | ISO/TC 268/WG 4 | - | - | 10.60 2018-09-23 | 11 days |
| Warning | Warning – NP decision | SDT 24 | ISO/NP 31040 | General technical principles for risk management of consumer product safety | ISO/TC 262 | - | - | 10.60 2018-09-06 | 28 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 28660 | Plastics -- Determination of J-R curves | ISO/TC 61/SC 2/WG 7 | - | - | 10.60 2018-09-22 | 12 days |
| Warning | Warning – NP decision | SDT 36 | ISO/IEC NP 27099 | Information Technology -- Security techniques -- Public key infrastructure -- Practices and policy framework | ISO/IEC JTC 1/SC 27/WG 4 | - | - | 10.60 2018-09-29 | 5 days |
| Warning | Warning – NP decision | SDT 36 | ISO/IEC NP 27032 | IT Security Techniques -- Cybersecurity -- Guidelines for Internet Security | ISO/IEC JTC 1/SC 27/WG 4 | - | - | 10.60 2018-09-07 | 27 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23630 | Computational Performance Prediction of Fans Based on Multiple Variable Parameters | ISO/TC 117 | - | - | 10.60 2018-09-30 | 4 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23627 | Plastics piping systems for non-pressure underground drainage and sewerage -- Steel Reinforced Corrugated Polyethylene Pipes and fittings | ISO/TC 138/SC 1 | - | - | 10.60 2018-09-30 | 4 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23623 | Ageing Societies -- Framework for Dementia-inclusive communities | ISO/TC 314 | - | - | 10.60 2018-09-23 | 11 days |
| Warning | Warning – NP decision | SDT 24 | ISO/NP 23622 | Optics and photonics -- Optical materials and components -- The powder test method for the acid resistance of optical glass | ISO/TC 172/SC 3/WG 1 | - | - | 10.60 2018-09-28 | 6 days |
| Warning | Warning – NP decision | SDT 36 | ISO/IEC NP TS 23619 | Technical Specification -- C++ Extensions for Reflection | ISO/IEC JTC 1/SC 22/WG 21 | - | - | 10.60 2018-09-27 | 7 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23618 | Design Principles of Seismically Isolated structures | ISO/TC 98/SC 2 | - | - | 10.60 2018-09-22 | 12 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23617 | Ageing societies -- guidelines for an inclusive work force | ISO/TC 314 | - | - | 10.60 2018-09-23 | 11 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23616 | Cleaning, Maintenance and Repair of Firefighters Personal Protective Equipment | ISO/TC 94/SC 14/WG 1 | TO CHECK (ISO lead) | - | 10.60 2018-09-26 | 8 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23609 | Determination of modulation period of nano-multilayer coatings by low-angle X-ray methods | ISO/TC 107/SC 9 | - | - | 10.60 2018-09-20 | 14 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23608 | Rolling bearing grease test machine -- Evaluation of grease service life | ISO/TC 28/JWG 19 | - | - | 10.60 2018-09-05 | 29 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23607 | Hydrometry -- Dilution measurements, tracers and applications | ISO/TC 113 | - | - | 10.60 2018-09-26 | 8 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23604 | Method of determining specific surface area of coal | ISO/TC 263/WG 1 | - | - | 10.60 2018-09-17 | 17 days |
| Warning | Warning – NP decision | SDT 48 | ISO/NP 23598 | Mechanical joining -- Destructive testing of joints -- Specimen dimensions and test procedure for mechanized peel testing of single joints | ISO/TC 44/SC 6/WG 4 | TO CHECK (ISO lead) | - | 10.60 2018-09-16 | 18 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23595 | Learning and Development | ISO/TC 260 | - | - | 10.60 2018-09-16 | 18 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23594 | Sludge recovery, recycling, treatment and disposal -- Laboratory chemical conditioning procedure | ISO/TC 275/WG 6 | TO CHECK (ISO lead) | - | 10.60 2018-09-14 | 20 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23593 | Sludge recovery, recycling, treatment and disposal -- Protocol for validating methods for physical properties of sludge/biosolids | ISO/TC 275/WG 6 | TO CHECK (ISO lead) | - | 10.60 2018-09-14 | 20 days |
| Warning | Warning – NP decision | SDT 24 | ISO/NP TS 23592 | Service Excellence -- Terminology, principles and model | ISO/TC 312 | - | - | 10.60 2018-09-14 | 20 days |
| Warning | Warning – NP decision | SDT 24 | ISO/NP 23590 | Household Biogas System Requirements | ISO/TC 255/WG 3 | - | - | 10.60 2018-09-12 | 22 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23589 | Rubber latex artificial breast -- Specification | ISO/TC 45/SC 4/WG 5 | - | - | 10.60 2018-09-09 | 25 days |
| Warning | Warning – NP decision | SDT 18 | ISO/NP 23586 | Conveyor belts -- Indentation rolling resistance related to belt width -- Requirements, testing | ISO/TC 41/SC 3 | - | - | 10.60 2018-09-15 | 19 days |
| Warning | Warning – NP decision | - | ISO/NP TR 23585 | Safety and Environment Guidelines for Biogas | ISO/TC 255/WG 4 | - | - | 10.60 2018-09-11 | 23 days |
| Warning | Warning – NP decision | SDT 18 | ISO/NP 23581 | Petroleum products and related products -- Determination of kinematic viscosity -- Method by Stabinger type viscosimeter | ISO/TC 28 | TO CHECK (ISO lead) | - | 10.60 2018-09-05 | 29 days |
| Warning | Warning – NP decision | - | ISO/NP TR 23579 | Plain Bearings -- Thin-walled half bearings without flange -- Continuous measurement of wall-thickness | ISO/TC 123/SC 5/WG 6 | - | - | 10.60 2018-09-06 | 28 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23568 | Natural gas -- Measurement of properties -- Inferential devices -- Performance evaluation | ISO/TC 193 | - | - | 10.60 2018-09-01 | 1 month |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23567 | Natural gas -- Measurement of properties -- Inferential devices -- Type testing | ISO/TC 193 | - | - | 10.60 2018-09-01 | 1 month |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23524 | Plastics -- Determination of fracture toughness of films and thin sheets: the essential work of fracture | ISO/TC 61/SC 2/WG 7 | - | - | 10.60 2018-09-09 | 25 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 23374-2 | Intelligent transport systems -- Automated valet parking systems (AVPS) -- Part 2: Requirements and test procedures for the vehicle operation | ISO/TC 204/WG 14 | - | - | 10.60 2018-09-05 | 29 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP TS 23260 | Sludge recovery, recycling, treatment and disposal -- Evaluation of sludge centrifugability | ISO/TC 275/WG 6 | TO CHECK (ISO lead) | - | 10.60 2018-09-14 | 20 days |

| | | | | | | | | | | |
|---------|-----------------------|--------|--------------------------------|---|---------------------------|---------------------|------------|-------|------------|---------|
| Warning | Warning – NP decision | SDT 36 | ISO/NP 22342 | Security and resilience -- Protective security -- Guidelines for the development of a security plan for an organization | ISO/TC 292/WG 6 | - | - | 10.60 | 2018-09-26 | 8 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP TS 21957 | Road vehicles -- Visibility -- Ergonomic aspects of transport information and control systems -- Specifications and test procedures for Head-up Displays (HUD) | ISO/TC 22 | - | - | 10.60 | 2018-09-15 | 19 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 21395-2 | Optics and photonics -- Test method for refractive index of optical glasses -- Part 2: Vee Block Refractometer Method | ISO/TC 172/SC 3/WG 1 | - | - | 10.60 | 2018-09-28 | 6 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 20979 | Plastics -- Determination of fracture toughness of polyethylene (PE) under plane stress impact conditions | ISO/TC 61/SC 2/WG 7 | TO CHECK (ISO lead) | - | 10.60 | 2018-09-22 | 12 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP TS 19946 | Plain bearings -- Thin walled half bearings, bushings and thrust washers -- Measurement of Technical Cleanliness | ISO/TC 123/SC 5/WG 5 | - | - | 10.60 | 2018-09-04 | 1 month |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 18115-3 | Surface chemical analysis -- Vocabulary -- Part 3: terms used in optical interface analysis | ISO/TC 201/SC 1/WG 2 | - | - | 10.60 | 2018-09-14 | 20 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 16573-3 | Steel -- Measurement method for the evaluation of hydrogen embrittlement resistance of high strength steels -- Part 3: Cryogenic hydrogen embrittlement test | ISO/TC 17/SC 7 | - | - | 10.60 | 2018-09-26 | 8 days |
| Warning | Warning – NP decision | SDT 24 | ISO/NP 14082 | Radiative Forcing Management -- Guidance for the quantification and reporting of radiative forcing-based climate footprints and mitigation efforts | ISO/TC 207/SC 7 | - | - | 10.60 | 2018-09-21 | 13 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 13007-7 | Ceramic tiles -- Grouts and adhesives -- Part 7: Requirements, test methods, evaluation of conformity, classification and designation for bonded soundproofing membranes for use beneath ceramic tiling bonded with adhesives | ISO/TC 189/WG 3 | - | - | 10.60 | 2018-09-19 | 15 days |
| Warning | Warning – NP decision | SDT 24 | ISO/NP 12128 | Plain bearings -- Lubrication holes, grooves and pockets -- Dimensions, types, designation and their application to bearing bushes | ISO/TC 123/SC 3 | - | - | 10.60 | 2018-09-23 | 11 days |
| Warning | Warning – NP decision | SDT 48 | ISO/NP 11737-3 | Sterilization of medical devices -- Microbiological methods -- Part 3: Bacterial endotoxin testing | ISO/TC 198/WG 8 | - | - | 10.60 | 2018-09-13 | 21 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 11125-9 | Preparation of steel substrates before application of paints and related products -- Test methods for metallic blast-cleaning abrasives -- Part 9: Part 9: Wear testing and performance | ISO/TC 35/SC 12/WG 4 | - | - | 10.60 | 2018-09-23 | 11 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 8000-66 | Data quality -- Part 66: Part 66: Data quality management: Assessment indicators for data processing in manufacturing operations | ISO/TC 184/SC 4/WG 13 | - | - | 10.60 | 2018-09-16 | 18 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 7203-4 | Fire extinguishing media -- Foam concentrates -- Part 4: Specification for Class A Foam Concentrates | ISO/TC 21/SC 6/WG 4 | - | - | 10.60 | 2018-09-18 | 16 days |
| Warning | Warning – NP decision | SDT 18 | ISO 6246:2017/NP Amendment 1 | Petroleum products -- Gum content of fuels -- Jet evaporation method -- Amendment 1: Change the purity requirement for n-heptane | ISO/TC 28 | TO CHECK (ISO lead) | - | 10.60 | 2018-09-05 | 29 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 5682-4 | Equipment for crop protection -- Spraying equipment -- Part 4: Test Methods for Tank Agitation | ISO/TC 23/SC 6/WG 18 | - | - | 10.60 | 2018-09-28 | 6 days |
| Warning | Warning – NP decision | SDT 18 | ISO 3691-5:2014/NP Amendment 2 | Industrial trucks -- Safety requirements and verification -- Part 5: Pedestrian-propelled trucks -- Amendment 2 | ISO/TC 110/SC 2/WG 2 | TO CHECK (ISO lead) | - | 10.60 | 2018-09-13 | 21 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 1346 | Fibre ropes -- Polypropylene split film, monofilament and multifilament (PP2) and polypropylene high-tenacity multifilament (PP3) -- 3-, 4-, 8- and 12-strand ropes | ISO/TC 38/WG 21 | TO CHECK (ISO lead) | - | 10.60 | 2018-09-16 | 18 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 1141 | Fibre ropes -- Polyester -- 3-, 4-, 8- and 12-strand ropes | ISO/TC 38/WG 21 | TO CHECK (ISO lead) | - | 10.60 | 2018-09-15 | 19 days |
| Warning | Warning – NP decision | SDT 36 | ISO/NP 1140 | Fibre ropes -- Polyamide -- 3-, 4-, 8- and 12-strand ropes | ISO/TC 38/WG 21 | TO CHECK (ISO lead) | - | 10.60 | 2018-09-15 | 19 days |
| - | - | SDT 36 | ISO/ASTM NP 52909 | Additive manufacturing -- Finished part properties -- Orientation and location dependence of mechanical properties for metal powder bed fusion | ISO/TC 261 | TO CHECK (ISO lead) | - | 10.20 | 2018-09-14 | 20 days |
| - | - | SDT 36 | ISO/ASTM NP 52908 | Additive manufacturing -- Post-processing methods -- Standard specification for quality assurance and post processing of powder bed fusion metallic parts | ISO/TC 261 | TO CHECK (ISO lead) | - | 10.20 | 2018-09-14 | 20 days |
| - | - | SDT 36 | ISO/NP 31120-2 | Road vehicles -- Demineralized water -- Part 2: Refilling interface for passenger cars | ISO/TC 22 | - | - | 10.20 | 2018-09-29 | 5 days |
| - | - | SDT 24 | ISO/NP 31073 | Risk management -- terminology | ISO/TC 262 | - | - | 10.20 | 2018-09-04 | 1 month |
| - | - | SDT 36 | ISO/IEC NP 30149 | Internet of things (IoT) -- Trustworthiness framework | ISO/IEC JTC 1/SC 41 | - | 2018-09-18 | 10.99 | 2018-09-18 | 16 days |
| - | - | SDT 36 | ISO/IEC NP TR 30117 | Information technology -- Guide to on-card biometric comparison standards and applications | ISO/IEC JTC 1/SC 17/WG 11 | - | 2018-09-28 | 10.99 | 2018-09-28 | 6 days |
| - | - | SDT 36 | ISO/NP 28596 | Sampling procedures by attributes -- Two-stage sampling plans for auditing and lot inspection under prior information | ISO/TC 69/SC 5/WG 10 | - | - | 10.20 | 2018-09-20 | 14 days |
| - | - | SDT 36 | ISO/NP TR 25398 | Earth-moving machinery -- Guidelines for assessment of exposure to whole-body vibration of ride-on machines -- Use of harmonized data measured by international institutes, organizations and manufacturers | ISO/TC 127/SC 2/WG 12 | - | 2018-09-25 | 10.99 | 2018-09-25 | 9 days |

| | | | | | | | | | | |
|---|---|--------|------------------|--|--------------------------|---------------------|------------|-------|------------|---------|
| - | - | SDT 48 | ISO/NP 24617-11 | Language resource management -- Semantic annotation framework (SemAF) -- Part 11: Part 11: Measurable Quantitative information (MQI) | ISO/TC 37/SC 4/WG 2 | - | - | 10.20 | 2018-09-18 | 16 days |
| - | - | SDT 36 | ISO/NP TS 23758 | Guidelines for the validation of qualitative screening methods for the detection of residues of veterinary drugs in milk and milk products | ISO/TC 34/SC 5 | - | - | 10.20 | 2018-09-28 | 6 days |
| - | - | SDT 48 | ISO/IEC NP 23751 | Information technology -- Cloud computing -- Data sharing agreement (DSA) framework | ISO/IEC JTC 1/SC 38/WG 5 | - | - | 10.20 | 2018-09-26 | 8 days |
| - | - | - | ISO/NP TR 23750 | Answers to frequently asked questions on ingredients and product characterization according to ISO 16128 | ISO/TC 217/WG 4 | - | 2018-09-26 | 10.99 | 2018-09-26 | 8 days |
| - | - | SDT 36 | ISO/NP 23749 | Microbeam analysis Electron backscatter diffraction Quantitative determination of austenite in steel | ISO/TC 202 | - | - | 10.20 | 2018-09-26 | 8 days |
| - | - | SDT 36 | ISO/NP 23746 | Space systems -- Environmental testing for spacecraft thermal control materials | ISO/TC 20/SC 14/WG 6 | - | - | 10.20 | 2018-09-25 | 9 days |
| - | - | SDT 36 | ISO/NP 23741 | Determination of spray water delivery during spray cycles in weathering tests | ISO/TC 61/SC 6/WG 3 | - | - | 10.20 | 2018-09-28 | 6 days |
| - | - | SDT 36 | ISO/NP 23740 | Technical Indicator of Exchange Trading System | ISO/TC 68/SC 9 | - | - | 10.20 | 2018-09-21 | 13 days |
| - | - | SDT 36 | ISO/NP 23739 | Fine ceramics (advanced ceramics, advanced technical ceramics) -- Methods for chemical analysis of zirconium oxide powders | ISO/TC 206/WG 3 | - | - | 10.20 | 2018-09-21 | 13 days |
| - | - | SDT 36 | ISO/NP 23738 | Fine ceramics (advanced ceramics, advanced technical ceramics) -- Measurement method of spectral reflectance of fine ceramics thin films under humid condition | ISO/TC 206/WG 10 | - | - | 10.20 | 2018-09-21 | 13 days |
| - | - | SDT 36 | ISO/NP 23737 | Fine Ceramics (advanced ceramics, advanced technical ceramics) -- Wear test methods of fine ceramic thin films under dry and humid conditions | ISO/TC 206/WG 10 | - | - | 10.20 | 2018-09-21 | 13 days |
| - | - | SDT 24 | ISO/NP TS 23735 | Road Vehicles -- Ergonomic design guidance for external visual communication from automated vehicles to other road users | ISO/TC 22 | - | - | 10.20 | 2018-09-20 | 14 days |
| - | - | SDT 36 | ISO/NP 23734 | Ship and marine technology -- Marine Environment impact assessment -- Onboard bioassay to monitor seawater quality using delayed fluorescence of microalga | ISO/TC 8/SC 13/WG 4 | - | - | 10.20 | 2018-09-23 | 11 days |
| - | - | SDT 36 | ISO/NP 23732 | Ship and marine technology -- Marine Environment impact assessment -- General protocol for observation of meiofaunal community | ISO/TC 8/SC 13/WG 4 | - | - | 10.20 | 2018-09-21 | 13 days |
| - | - | SDT 36 | ISO/NP 23731 | Ship and marine technology -- Marine Environment impact assessment -- Long term in situ image based surveys in deep sea environments | ISO/TC 8/SC 13/WG 4 | - | - | 10.20 | 2018-09-19 | 15 days |
| - | - | SDT 36 | ISO/NP 23730 | ISO22781 Ship and marine technology -- Marine Environment impact assessment -- General technical requirement on marine environment impact assessment | ISO/TC 8/SC 13/WG 4 | - | - | 10.20 | 2018-09-19 | 15 days |
| - | - | - | ISO/NP 23729 | Surface chemical analysis -- Atomic force microscopy -- Guideline for restoration procedure for atomic force microscopy images dilated by finite probe size | ISO/TC 201/SC 9/WG 5 | - | - | 10.20 | 2018-09-20 | 14 days |
| - | - | SDT 36 | ISO/NP 23723 | Traditional Chinese Medicine --General requirements for herbal raw material and materia medica | ISO/TC 249/WG 1 | - | - | 10.20 | 2018-09-18 | 16 days |
| - | - | SDT 36 | ISO/NP 23722 | Meat and meat products -- Basic terminology | ISO/TC 34/SC 6 | - | - | 10.20 | 2018-09-14 | 20 days |
| - | - | SDT 36 | ISO/NP 23721 | Corrosion of metals and alloys -- Rating method of rust and stains of atmospheric corrosion for stainless steels | ISO/TC 156/WG 4 | - | - | 10.20 | 2018-09-12 | 22 days |
| - | - | - | ISO/NP TR 23720 | Road Vehicles -- Methods for evaluating other road user behavior in the presence of automated vehicle external communication. | ISO/TC 22 | - | - | 10.20 | 2018-09-11 | 23 days |
| - | - | SDT 36 | ISO/NP 23719 | Cereals and cereal products -- Determination of 16 mycotoxins by ultra high performance liquid chromatography and tandem mass spectrometry method (UHPLC-MS/MS) | ISO/TC 34/SC 4/WG 8 | - | - | 10.20 | 2018-09-13 | 21 days |
| - | - | SDT 24 | ISO/NP 23708 | Acoustics -- Determination of airflow resistance | ISO/TC 43/SC 2/WG 18 | TO CHECK (ISO lead) | - | 10.20 | 2018-09-10 | 24 days |
| - | - | SDT 36 | ISO/NP 23706 | Plastics -- Determination of apparent activation energies of property changes in standard weathering test methods | ISO/TC 61/SC 6/WG 2 | - | - | 10.20 | 2018-09-10 | 24 days |
| - | - | SDT 48 | ISO/NP 23705 | Cranes -- Classification -- Part 2: Mobile cranes | ISO/TC 96/SC 6 | - | - | 10.20 | 2018-09-10 | 24 days |
| - | - | SDT 36 | ISO/NP 23704-1 | Reference Model for Cyber-Physically Controlled Smart Machine Tool Systems (CPSMT) -- Part 1: Overview and fundamental principles including; concept/scope, normative references, terminologies, use cases, and operational scenarios, etc. | ISO/TC 184/SC 1 | - | - | 10.20 | 2018-09-12 | 22 days |
| - | - | SDT 36 | ISO/NP 23704-2 | Reference Model for Cyber-Physically Controlled Smart Machine Tool Systems (CPSMT) -- Part 2: Generic Architecture of CPSMT including; generic architecture of CPCM, CPS control system, interface with CPCM with CSS and SFS, and conformance class | ISO/TC 184/SC 1 | - | - | 10.20 | 2018-09-03 | 1 month |

| | | | | | | | | | | |
|--------|----------------------|--------|-----------------|---|-----------------------|---------------------|------------|-------|------------|---------|
| - | - | SDT 24 | ISO/NP 23699 | Microbeam Analysis -- Electron Backscattered Electron Diffraction -- Vocabulary | ISO/TC 202/SC 1 | - | - | 10.20 | 2018-09-19 | 15 days |
| Target | Target – approaching | SDT 36 | ISO/NP 23475-1 | Testing method for steel tyre cord -- Part 1: -- Part 1: General requirements | ISO/TC 17/SC 17/WG 10 | TO CHECK (ISO lead) | 2018-09-25 | 10.99 | 2018-09-25 | 9 days |
| - | - | SDT 36 | ISO/NP 23434-1 | Industrial trucks -- Sustainability -- Part 1: Vocabulary | ISO/TC 110/SC 5/WG 2 | - | 2018-09-19 | 10.99 | 2018-09-19 | 15 days |
| - | - | SDT 36 | ISO/NP 23434-2 | Industrial trucks -- Sustainability -- Part 2: Factors and reporting | ISO/TC 110/SC 5/WG 2 | - | 2018-09-19 | 10.99 | 2018-09-19 | 15 days |
| - | - | SDT 18 | ISO/NP TR 22943 | Ad hoc group to draft a set of principles for ISO identification systems | ISO/TC 46/SC 9/WG 16 | - | 2018-09-05 | 10.99 | 2018-09-05 | 29 days |
| - | - | SDT 36 | ISO/NP 22402-1 | Medium-transfer units for tool interfaces -- Part 1: Transfer units for hollow taper shanks in accordance with ISO 12164 | ISO/TC 29/SC 9 | - | - | 10.20 | 2018-09-07 | 27 days |
| - | - | - | ISO/NP 21384-4 | Unmanned aircraft systems -- Part 4: Part 4: Terms and definitions | ISO/TC 20/SC 16/WG 1 | - | - | 10.20 | 2018-09-19 | 15 days |
| - | - | SDT 36 | ISO/NP 21293 | Oilseeds -- Automatic continuous sampling | ISO/TC 34/SC 2/WG 2 | - | 2018-09-18 | 10.99 | 2018-09-18 | 16 days |
| - | - | SDT 36 | ISO/NP 21233 | Heavy commercial vehicles and buses -- Vehicle dynamics simulation and validation -- Closing-curve test | ISO/TC 22 | - | - | 10.20 | 2018-09-06 | 28 days |
| - | - | SDT 36 | ISO/NP TS 18683 | Guidelines for systems and installations for supply of LNG as fuel to ships | ISO/TC 67/SC 9/WG 1 | - | 2018-09-24 | 10.99 | 2018-09-24 | 10 days |
| - | - | SDT 48 | ISO/NP 16400-2 | Automation systems and integration -- Equipment behaviour catalogues for virtual production system -- Part 2: Part 2: Formal description of catalogue template | ISO/TC 184/SC 5/WG 13 | - | - | 10.20 | 2018-09-27 | 7 days |
| - | - | SDT 48 | ISO/NP 16400-3 | Automation systems and integration -- Equipment behaviour catalogues for virtual production system -- Part 3: Part 3: Guideline for construction of equipment instance model | ISO/TC 184/SC 5/WG 13 | - | - | 10.20 | 2018-09-27 | 7 days |
| - | - | SDT 36 | ISO/NP TR 15262 | Mechanical tests on metallic materials -- Uncertainty in low-cycle fatigue | ISO/TC 164/SC 4 | - | 2018-09-25 | 10.99 | 2018-09-25 | 9 days |
| - | - | SDT 48 | ISO/NP 14630 | Non-active surgical implants -- General requirements | ISO/TC 150/WG 7 | TO CHECK (ISO lead) | 2018-09-20 | 10.99 | 2018-09-20 | 14 days |
| - | - | SDT 36 | ISO/NP 14490-10 | Optics and photonics -- Test methods for telescopic systems -- Part 10: Test methods for axial colour performance | ISO/TC 172/SC 4/WG 2 | - | 2018-09-23 | 10.99 | 2018-09-23 | 11 days |
| - | - | SDT 18 | ISO/NP 13574 | Industrial furnaces and associated processing equipment -- Vocabulary | ISO/TC 244/WG 4 | - | 2018-09-28 | 10.99 | 2018-09-28 | 6 days |
| - | - | SDT 36 | ISO/NP 11916-3 | Soil quality -- Determination of selected explosives and related compounds -- Part 3: Method using liquid chromatography-tandem mass spectrometry (LC-MS/MS) | ISO/TC 190/SC 3/WG 6 | TO CHECK (ISO lead) | - | 10.20 | 2018-09-08 | 26 days |
| - | - | SDT 36 | ISO/NP 11684 | Tractors, machinery for agriculture, powered lawn and garden equipment -- Safety signs and hazard pictorials -- General principles | ISO/TC 23/SC 14 | - | - | 10.20 | 2018-09-01 | 1 month |
| - | - | SDT 24 | ISO/NP 8521 | Glass-reinforced thermosetting plastic (GRP) pipes -- Test methods for the determination of the apparent initial circumferential tensile strength | ISO/TC 138/SC 6/WG 1 | - | 2018-09-21 | 10.99 | 2018-09-21 | 13 days |
| - | - | SDT 24 | ISO/NP 8502-15 | Preparation of steel substrates before application of paints and related products -- Tests for the assessment of surface cleanliness -- Part 15: Extraction of soluble contaminants for analysis by acid extraction | ISO/TC 35/SC 12/WG 2 | - | - | 10.20 | 2018-09-12 | 22 days |
| - | - | SDT 36 | ISO/NP 8196-3 | Milk -- Definition and evaluation of the overall accuracy of alternative methods of milk analysis -- Part 3: Protocol for the evaluation and validation of alternative quantitative methods of milk analysis | ISO/TC 34/SC 5 | - | - | 10.20 | 2018-09-24 | 10 days |
| - | - | SDT 36 | ISO/NP 7752-5 | Lifting appliances -- Controls -- Layout and characteristics -- Part 5: Overhead travelling cranes and portal bridge cranes | ISO/TC 96/SC 9 | - | - | 10.20 | 2018-09-28 | 6 days |
| - | - | SDT 36 | ISO/NP 6362-6 | Wrought aluminium and aluminium alloys -- Extruded rods/bars, tubes and profiles -- Part 6: Round, square, rectangular and hexagonal tubes -- Tolerances on shape and dimensions | ISO/TC 79/SC 6 | - | - | 10.20 | 2018-09-13 | 21 days |
| - | - | SDT 18 | ISO/NP 802 | Aluminium oxide primarily used for the production of aluminium -- Preparation and storage of test samples | ISO/TC 226/WG 3 | - | - | 10.20 | 2018-09-27 | 7 days |